	DIRECTORATE GENERAL OF SHIPPING MINISTRY OF SHIPPING, GOVERNMENT OF IN	DIA
Page 1 of 2	TRAINING BRANCH	IS / ISO Clause No. 7.1
Ref: QMS: EACQP - 07 - 1	Subject: Endorsement on the reverse side of the participant's Certificate & sample formats for preparing suitable checklist for ECDIS training	File No: TR/CIR/6(11)/2011
Approved by the: DG	Circular No: Addendum to STCW 2010 Circular No.29 of 2012	Date: 07.05.2013

The Course guidelines of "Electronic Chart Display & Information System [ECDIS]" has been issued Vide STCW 2010 Circular No.29 of 2012 dated 10.12.2012, by the Directorate. The Annexure-1 of the said circular is a Specimen Certificate to be issued to the participants by the approved maritime training institutes /training providers of ECDIS course. The Directorate has now decided to put an endorsement on the reverse side of the said Certificate, which is attached herewith at Annex-A. The Training Institutes /Training providers are requested to print this endorsement on the reverse side of the Certificate. Further those Certificates which are already issued without such endorsement, should be replaced and reissued to the candidates by the Training Institutes / Training Providers.

- 2. Further, in continuation of STCW 2010 Circular No.29 of 2012 dated 10.12.2012, the directorate has prepared following sample formats to be used by the Training institutes /training providers, during the ECDIS Training:
 - i) ECDIS underway score sheet [attached herewith at Annex-B]
 - ii) Trainee's proficiency checklist as per IMO Model course Appendix 5A [attached herewith at Annex-C]
 - iii) Typical simulator exercise [attached herewith at Annex-D]
 - iv) Workstation and simulator exercise [attached herewith at Annex-E]

	DIRECTORATE GENERAL OF SHIPPING MINISTRY OF SHIPPING, GOVERNMENT OF INI	DIA
Page 2 of 2	TRAINING BRANCH	IS / ISO Clause No. 7.1
Ref: QMS: EACQP - 07 - 1	Subject: Endorsement on the reverse side of the participant's Certificate & sample formats for preparing suitable checklist for ECDIS training	File No: TR/CIR/6(11)/2011
Approved by the:	Circular No: Addendum to STCW 2010 Circular No.29 of 2012	Date: 07.05.2013

- All the approved training institutes/ training providers conducting ECDIS 3. training are advised to prepare suitable checklist similar to the sample formats attached at Annex- A, B, C & D, for the purpose of ECDIS Training. Effective use of these checklist will be verified during next scheduled /unscheduled inspection.
- This issues with the approval of the Director General of Shipping & Ex-Officio Additional Secretary to the Govt. of India.

[Mahua Sarkar] Dy. Director General of shipping

To,

All Maritime Training Institutes 1.

- Vice Chancellor, Indian Maritime University, East Coast Road, Uthandi, Chennai-2. 600119.
- All Academic Councils 3.
- All Mercantile Marine Departments 4.
- The Shipping Master, Mumbai / Kolkata / Chennai
- The Director, Seamen's Employment Office, Mumbai / Chennai / Kolkata 6.
- INSA/ FOSMA/MASSA 7.
- INDOS Cell, Nav Bhavan Building, Mumbai -1 8.
- **Engineering Branch** 9.
- NT Branch 10.
- Management Representative [QMS], EAC Branch, DGS 11.
- Crews Branch 12.
- Computer Cells 13.
- Hindi Cell 14.
- **Guard File** 15.
- Sr. PS to DG[S] for information

TYPE SPECIFIC TRAINING

This ECDIS Course was conducted on <u>TRANSAS Navi-Sailor 4000 ECDIS*</u> simulator and the route monitoring exercises and evaluation conducted on <u>TRANSAS Navi-Trainer Professional 5000*</u> navigation simulator integrated with ECDIS.

The participants have received training on the following topics:

- Elements of ECDIS
- Watch keeping with ECDIS
- ECDIS Route Planning and Monitoring
- ECDIS Targets, Charts and System
- ECDIS Responsibility

Above details to be printed in the back side of the ECDIS course participant's certificate.

^{*}Note: Make and model of ECDIS Simulator and Navigation simulator used for training to be printed

なととして

Quality System Control Bar

ECDIS UNDERWAY SCORE SHEET

	evaluation)	DORATION	DI IBATION	DATE
	evaluation) * items indicates critical fault (Retake			
	SIGNATURE OF ASSESSOR	PASSING MARKS	TOTAL MARKS	MARKS OBTAINED
ŀ	. • •	• •		• • •
		70	100	

_			120	er			_		_			_				_					
3.2	2	3.1)	2.4	2.3	*2.2	1.1	נ	2		*1.6	15	1 1 1	1	13	1.2	1.1			S O	
Route check function used and route inspected	saved	Berth to berth route and alternate route made and	ટ્રેફર્જા છે. જેમાં જેમાં છે. કોમાં માર્ચ કે	Radar selection and overlay settings checked	ARPA & AIS tabs on ECDIS checked	Sounder set to DBK and depth alarm set	speed log set to bottom track			monitoring	Check only official ENC's are loaded/ selected for	Heading input to ECDIS checked	r Osition tixing system 2 on and initialized	Docition fiving custom 2 and 1: 1: 1: 1:	DGPS selected on position fixing system 1	GPS HDOP recorded and checked within limits	UIC and ship time zone set on ECDIS equipment	Comment of the contraction of th			i ask Groups
			(e)																		Syleivi
																				-	Name:
																					Name
								•													Name.
			-																-	Maine.	No.
																			•	Walle:	7
										•				-						wame:	

Name of Institute
Quality System Confrol Ro

Serial Task Groups	Marks	Name:	Name:	Name.	Nomes.	N	1
No.						Nasie:	Name:
visually							
3.3 Route waypoints, courses and distances displayed	pa						
3.4 Route cross track error zones set for the passage	8						
3.5 Chart 'auto load' and 'auto scale' on							
Wetnify safeth settings on reals							
*4.1 Dimensions of safety frame/ vector set							
4.2 Length of COG and heading vector set							
┼							
-							
*4.5 Safety depth set same as safety contour denth							
+							
Sinetto en Arreno es							
*5.1 Consistency in radar screen, ECDIS screen and							
visual scenery		1					,
5.2 Able to use dual screen for area around ship & look	ook						
ahead							
5.3 Able to adjust scale of chart							
5.4 Able to identify coastline and match with land areas	reas						
on ENC							
5.5 Plot on request visual/ radar fixes							
ે કે જો પાળામાં ભાગાલ ભાગ કરા છે. જાય કરા છે.							
6.1 Activate route monitor to display route data panel	Jel						
6.2 Copy activated route into GPS and radar							
6.3 Provide on request ETA, XTE. CTS to next waynoint	ţi						-
				-			
-							
b.5 Query tracked targets on ARPA/ AIS							
	And the second of the second o						
			-				
7.2 Check alarm and indicator windows regularly							
7.3 Acknowledge alarms and take corrective action							
							`

Name of Institute

	_
ĺ	}(
ı	7
ı	\boldsymbol{a}
ı	I
_	Ţ.
	<
į	-
ı	$ U\rangle$
ı	$\boldsymbol{<}$
ı	S
ı	\rightarrow
ı	Ø
i	3
i	\supset
ı	_
ı	$\left(\cdot \right)$
ı	\sim
ı	\simeq
ı	ب_
ı	▔
ı	Ξ
į	\simeq
1	W
1	0)
I	~

*10.2	*10.1		9.5	9.4	9.3	9.2	9.1		((e)	8.5		8.4		8.3	8.2	8.1		7.4	No.	Serial
Ensure safe Depth below keel (DBK) at all times	Ensure safe CPA at all times	Menonina anno iding io accessed rentgettora) স্থানৰাত্যত উ দ্বাস্থ্য	Call in to VTS on request	Query tide and port information on ECDIS	Display tide and current information on ECDIS	AIS messaging managed on ECDIS	Revise 'User Maps' on request	SOUTH TO THE STATE OF THE STATE	Weight we mession some essent and the	Switch on and adjust radar overlay	RM and TM	Change modes to Course Up, North Up, Head Up,	panel	Change display to dual panel/ full screen/ multi-	Custom layers set for low clutter	Set day/ night palette	होनाही। Brought to suff and mins / scenar to	View alarm status in the alarm management system		Task Groups
																			i	Marks
					- 3								, .							Name:
											•									Name:
										·										Name:
																	•			Name:
																				Name:
		,																		Name:

Name of Institute

Quality System Control Bar

APPENDIX 5A TRAINEE'S PROFICIENCY CHECKLIST ON USE OF ECDIS

These tasks are most effectively mastered by:

- Following a developmental sequence, (Workstation Exercises conducted in classroom setting)
- Practicing them in navigational contexts (Simulator Exercises when underway, conducted in minisimulator).
- References: Type approved ECDIS User Manual and ECDIS Performance Standards
- Other ECDIS docs: Technical; Operating Principles; Software Description, Chart Updates

1	Basic T	asks	•		
		Day	Workstation Exercise	SIM Exercise	Tick
1	Identify all information panels and functions	D1			4.
2	Enable / disable display of panels and functions	D1			
3	Set screen color palette – Day / night / etc.;	D1			
4	Become familiar with how to open panels and functions	D1			
5	Set orientation of Main display – N / H / C	D1			
6	Set mode of Main display – TM / RM	D1		ar e	
7	Select Dual display – alignment / mode / orientation / scale choice	D1		-	
8	Learn how to return to ownship display.	D1			
9	Reposition ownship in Relative Motion	D1			
10	Use of EBL and VRM	D1		· · · · · · · · · · · · · · · · · · ·	
11	Select vector length	D1			
12	Select different chart formats	D2			
13	Load specific charts	D2			
14	Select Chart options if available such as auto-load, auto scale, fixed	D2			
15	Select correct scale to show chart layers- Use of zoom function	D2			
16	Select chart display categories and layers	D2		3,2 5 1 TO	
17	Obtain chart object information (vector chart)	D2			
18	Set Anti-grounding – Safety Contour / Depth	D3			
19	Set Anti-grounding cue or equivalent ECDIS function	D3			

Name of Institute Quality System Control Bar

	Overall Presentat	on of D	isplay	
20	Select position & time from best available source	D1		
21	Cancel / verify / modify position offset	D1		
22	Select chart & scale appropriate to location	D1	·	
23	Create uncluttered display, depending upon context and conditions	D2	·	
24	Choose most appropriate display, orientation and motion	D2		
25	Load a pre-checked and approved Route for monitoring; load existing schedule	D3		
26	Select Safety Parameters appropriate to own ship location, route and environment.	D3		
27	If in TM, select appropriate chart setting/ look ahead value.	D2		
	Intermediat	e Tasks		
28	Create route plan – rough draft, save	D3		
29	Edit route plan – Focus on Route, fine tune additional data entry	D3		
30	Adjust distance calculations in route planning	D3		
31	Perform safety check	D3		
32	Create & modify Route Schedule ETD, ETA, speeds – Function Panel / Schedule	D3		
33	Select appropriate panel for display of route monitoring data	D3		
34	Select the appropriate active way point.	D3		
35	Set / select Route Monitoring alarms – Monitoring / Navigational Alarms if available to do so.	D3		
36	Select appropriate display layers for route monitoring	D3		
37	Select relevant Navigation Alarms	D3		

Name of Institute

Quality System Control Bar

38	Observe alarm condition (Alarm panel)	D3			
39	Set Time Zone for ship's time	D1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
40	Select time icon to display – UTC / ship's time	D1			
41	Observe & assess target information	D1			-
42	Configure ARPA settings.	D1			
43	Configure AIS settings	D3			
44	Set anchor watch guard ring & alarm	D3			
45	Select tidal information from vector charts	D3			-
46	View Logbook if available.	D3			
47	Make manual entry in the Ship Log if available	D2			
48	Unload & load existing user charts	D3			1
49	Create a user chart object	D4			
50	Edit a user chart object	D4.			
51	Insert a manual correction	D4			
52	Delete a manual correction	D4			-
53	Activate Man Overboard function and view available data	D1			
	Navigato	r Tasks			1
54	Install / delete chart data	D4			+
55	Install chart updates for RNCs.	D4			
56	Install chart updates for ENCs.	D4			
57	Modify ownship settings.	D1		<u></u>	
58	Toggle between UTC and local time	D1			
59	Import data files	D4			
60	Export data files	D4		·	
61	Print route plan	D2			1
62	Create SAR date if option is available	D2			
63	Delete route plan(s)	D2			
64	View track history graphically	D2			
65	Playback files if option is available	D2			
		D2			<u> </u>

	Name of Institute	•
	Quality System Control Bar	
Candidate Name:	Faculty Name:	

Signature:

Signature:

SIMULATOR EXERCISE 4: NAVIGATION IN RESTRICTED WATERS

Ship VLCC Atlantic Rose (Displacement 159584 MT)

Wind Direction	W'ly	Wind Speed	Force 3	Visibility	Clear
Current Direction	045°	Rate	2.0 Knots	Start time	2000 hrs

Initial Position: 01°24.3'N	Initial Course: 225°	Initial Speed: 15 Knots
104°26' W		

Task: Vessel in position01°24.3'N 104°26' W, north of Horsburgh light on passage through the Singapore Straits. Make a passage plan and proceed to drop anchor at TanjungPelepas. Work out ETA at safe speed of transit in the straits.

- Plan a route from present position including user layers
- Set cross track limits as required.
- Check the Minimum Depth Required for vessel and set safety contour depth and safety depth.
- Set relevant alarms on ECDIS.
- Set safety frame for vessel depending on speed
- Set depth and shallow alarms on the echo sounder
- · Set lengths for heading and COG vectors as per speed of vessel
- Activate route monitor and monitor passage

Objectives:

- Monitor sea area
- Use created route including route schedule
- Select user layers
- Validate own ship's position by alternate means
- Check settings such as vector time, display reset, information layers, alarms, track, sensors, and own ship configurations
- Modify the selected route as instructed, check for safety, adjust route schedule

INDEX

WORKSTATION EXERCISES

EXERCISE	EXERCISE NAME	Revision Date
No. 1A	Familiarization with equipment -Elements of	02.03.2013
1B	ECDIS Familiarization with equipment - Watch keeping	02.03.2013
1C	with ECDIS Familiarization with equipment - Miscellaneous	02.03.2013
2	Functions IMO MSC 232(82) performance standards	02.03.2013
3	requirements Underway exercise - Transiting Dover straits	02.03.2013
4	Underway exercise -Dover to Dunkerque -	02.03.2013
5	Route Planning Ordering and undating SENC charts on	02.03.2013
6	TRANSAS system (TADS)	
7	Loading, updating and uninstalling of AVCS	02.03.2013
	ENC's Manual chart correction – Dover Straits	02.03.2013
8		09.03.2013
9	ENC Symbology	

SIMULATOR EXERCISES

EXERCISE NAME		Revision
EXERCISE	RCISE EXERCISE NAME	Date
No.		13.02.2013
1A	Simulator Familiarization	13.02.2013
1B .	Open Sea – Basic integrated navigation	13.02.2013
2	Navigating in coastal waters	
	Navigation in coastal waters – Search and	13.02.2013
3	Ivavigation in codetal trates	

		·	
	Rescue		
4	Navigation in restricted waters	13.02.2013	1

SIMULATOR EVALUATION EXERCISES

EXERCISE No.	EXERCISE NAME	Revision Date
1	Voyage Planning, executing and route monitoring - Navigation in coastal and restricted waters	14.12.2012
2	Voyage Planning, executing and route monitoring - Navigation in coastal and restricted waters	14.12.2012